

**ARIZONA GAME AND FISH DEPARTMENT
HERITAGE DATA MANAGEMENT SYSTEM**

Animal Abstract

Element Code: ARAAF01012

Data Sensitivity: Yes

CLASSIFICATION, NOMENCLATURE, DESCRIPTION, RANGE

NAME: *Gopherus agassizii*

COMMON NAME: Mojave Desert Tortoise

SYNONYMS: *Xerobates agassizii*, *Scaptochelys agassizii*

FAMILY: Testudines: Testudinidae

AUTHOR, PLACE OF PUBLICATION: Cooper. 1863. Proceedings of the Californian Academy of Natural Science 2:118-123.

TYPE LOCALITY: "Mountains of California, near Fort Mojave" (Cooper 1863). Cotype: "Juv. Utah Basin, Mojave River" (catalog carries "Solado Valley, California") (Cochran 1961: 236 in Auffenberg and Franz 1978).

TYPE SPECIMEN: Type and collector not stated by Cooper (1863). Cotype: US National Museum 7888, J.G. Cooper, March, 1861 (Cochran 1961: 236 in Auffenberg and Franz 1978).

TAXONOMIC UNIQUENESS: The genus *Gopherus* contains five extant species in the southern US and Mexico (Crumly 1994).

DESCRIPTION: Adults reach sizes of about 20-36 cm (8-15 in) and have a high domed shell, usually a brownish carapace, with definite pattern and prominent growth lines on both the plastron and carapace (Stebbins 1985). The plastron is yellowish without a hinge. The limbs are very stocky, including elephant-like rear limbs; the forelimbs are covered with large conical scales. The tail is short. Males have elongate gular (throat) shields, and chin glands on each side of the lower jaw are larger than that of the female.

AIDS TO IDENTIFICATION: Two populations occur in Arizona. Individuals from the Sonoran species tend to be more pear-shaped, with more narrow front ends, wider (flared) rear ends, and flatter carapaces. Mojave desert tortoises tend to be more oval and have a higher domed carapace (Germano 1993).

ILLUSTRATIONS:

Black and white drawing (Stebbins 1966: plate 15)

Color photo (Behler and King 1979: plate 328)

Black and white photos (Bury and Germano 1994: pp. vi, 56, 72, 94, 108)

TOTAL RANGE: The distribution of the *Gopherus agassizii* ranges from northern Arizona to southern Nevada and southwestern Utah, and from south central California. The threatened

Mojave population occurs north and west of the Colorado River, and the Candidate designated Sonoran population occurs south and east of the Colorado River (USDI, FWS 1990, 1996, 2010).

RANGE WITHIN ARIZONA: *Gopherus agassizii* includes all tortoises north and west of the Colorado River, west of the Beaver Dam Mountains, north of the Virgin Mountains, and in the Pakoon Basin in extreme northwest Mojave County.

SPECIES BIOLOGY AND POPULATION TRENDS

BIOLOGY: Mojave Desert tortoise biology differs from that of Morafka's tortoises in various ways (Averill-Murray et al., *in press* a, b). Burrows are excavated below vegetation more often than below rocks and boulders and may reach depths of 10 meters (Woodbury and Hardy 1948; Burge 1978; Luckenbach 1982). Caves in washes and shallow pallets are also commonly used. Peak activity occurs in spring rather than summer (Luckenbach 1982), but mating occurs during both spring and summer (Black 1976; Rostal et al. 1994; Goodlett et al. 1996). Mojave tortoises do respond to summer rains to rehydrate and establish positive moisture and energy balances (Minnich 1977; Nagy and Medica 1986; Peterson 1996a, b; Nagy et al. 1997) as their counterparts do in the Sonoran Desert. Males typically reach larger sizes than females throughout the Mojave Desert (Germano 1994a), and sexual maturity is attained at sizes as small as 176 mm (Germano 1994b). Various carnivores, including coyote (*Canus latrans*; Hohman and Ohmart 1980), kit fox (*Vulpes macrotis*; Coombs 1977), and bobcat (*Felis rufus*; Woodbury and Hardy 1948), may prey on hatchlings, juveniles, or eggs, or kill adults by chewing exposed limbs. Other potential predators of smaller tortoises include golden eagle (*Aquila chrysaetos*; Luckenbach 1982) and the common raven (*Corvus corax*), which has contributed to the decline of some Mojave tortoise populations through increased predation on hatchling and juvenile tortoises near urban areas and along power lines crossing (USDI, FWS 1994a).

REPRODUCTION: Mojave Desert tortoises may lay as many as 3 clutches in a year. Average annual reproductive output varies from about 5 to 9 eggs/female/year depending on the environment, and most females usually lay at least some eggs each year, although the numbers of clutches is related to rainfall (Karl 1998; Mueller et al. 1998; Turner et al. 1986; Wallis et al. 1999). In addition, tortoises lay their eggs earlier in the Mojave Desert than in the Sonoran, from late April through mid-July (Karl 1998; Turner et al. 1986; Wallis et al. 1999).

FOOD HABITS: Eat a variety of annual and perennial grasses, forbs, and succulents (see references in Grover and DeFalco 1995). Sonoran tortoise forage includes (in order of relative abundance in scat fragment analysis) dicot annuals, grasses, herbaceous perennials, trees and shrubs, subshrubs/woody vines, and succulents (Van Devender and Schwalbe 1999). The most common food items in microhistological analyses included the woody vine *Janusia gracilis* and various mallows (Malvaceae) (Van Devender and Schwalbe 1999).

HABITAT: The Mojave Desert tortoise occurs on sandy loam to rocky soils in valleys, bajadas, and hills in Mojave desertscrub and the Lower Colorado River Valley subdivision of the Sonoran Desert (Germano et al. 1994).

ELEVATION: The Mojave Desert tortoise occurs at elevations below sea level at Death Valley, California (Luckenbach 1982) to above 1500 m (5000 ft) at Yucca Mountain, Nevada Test Site (Collins et al. 1983). On the Arizona Strip the tortoise occurs at elevations between 300-1200 m (1000-4000 ft; AGFD unpubl. data).

PLANT COMMUNITY: The Mojave Desert tortoise occurs in plant communities dominated by creosotebush and other sclerophyll shrubs with small cacti and in some areas abundant Joshua trees (Germano et al. 1994).

POPULATION TRENDS: Declining populations led to the listing of the Mojave Desert tortoise as threatened (USDI, FWS 1990). Upper Respiratory Tract Disease (URTD) is epidemic at some localities in the Mojave Desert (USDI, FWS 1994a).

SPECIES PROTECTION AND CONSERVATION

ENDANGERED SPECIES ACT STATUS: Mohave Desert pop. LT (USDI, FWS 1990)
 Sonoran Desert pop. C (USDI, FWS 2010)
 [Sonoran Desert pop. C (USDI, FWS 2011)]
 [Sonoran Desert pop. None (USDI, FWS 1996)]
 [Sonoran Desert pop. C2 USDI, FWS 1991, 1994]
 [Both populations C2 USDI, FWS 1985, 1989]

STATE LIST STATUS: 1 (AZGFD, AWCS 2022)
 [1A (AGFD SWAP 2012)]
 [WSC (AGFD, WSCA 1996 in prep)]
 [State Candidate AGFD, TNW 1988]

OTHER STATUS: Not Bureau of Land Management Sensitive – Sonoran Pop. (USDI, BLM AZ 2010)
 [Bureau of Land Management Sensitive – Sonoran Pop. (USDI, BLM AZ 2017, 2008)]
 Forest Service Sensitive for Sonoran Desert pop. (USDA, FS Region 3 2007; Coronado, Prescott & Tonto National Forests)

A, Determined Threatened (Secretaria de Medio Ambiente 2000)
[Determined Threatened, Secretaria de Desarrollo Social 1994]

MANAGEMENT FACTORS: The *Desert Tortoise (Mojave Tortoise) Recovery Plan* provides detailed objectives, strategies, and criteria for achieving recovery of the Mojave population (USDI, FWS 1994a). Delisting criteria and the recovery strategy follow several biological principles, including the maintenance of distinct population segments, genetic and demographic considerations in population viability, other comprehensive considerations in population viability, reserve architecture, and ecosystem protection.

PROTECTIVE MEASURES TAKEN: Desert tortoises may not be collected from the wild in Arizona (Arizona Game and Fish Commission Order 43). Desert tortoises possessed without a special license prior to April 28, 1989, may be possessed, transported, and given away (Arizona Game and Fish Commission Rule R12-4-407.A.1). Desert tortoises possessed pursuant to R12-4-407.A.1 may be propagated, progeny may be held in captivity for 24 months from the date of hatching, when they shall be disposed of by gift or as directed by the Arizona Game and Fish Department. The person receiving a desert tortoise given away pursuant to this rule is also exempt from special license requirements.

SUGGESTED PROJECTS: A continuing state-wide monitoring program is of primary importance in collecting the data necessary for effective desert tortoise management in Arizona (AIDTT 1996). Additional research is also necessary to develop a more complete understanding of tortoise populations and how they respond to different land management actions, including research on population dynamics (reproductive ecology, life tables, population viability, population genetics), habitat (effects of exotic vegetation, fire, and grazing), disease (URTD, cutaneous dyskeratosis), and effectiveness of mitigation measures (AIDTT 1996). The extent of desert tortoise distribution in extreme northwest, southwest, southeast Arizona is needs extensive survey efforts and monitoring.

LAND MANAGEMENT/OWNERSHIP: Bureau of Indian Affairs: Fort McDowell Reservation, Gila River Reservation, Salt River Pima Reservation, San Carlos Apache Reservation, San Xavier Reservation, Tohono O'Odham Nation. Bureau of Land Management: Kingman Field Office, Lake Havasu Field Office, Phoenix Field Office, Tucson Field Office, Safford Field Office, Tucson Field Office, Yuma Field Office. Department of Defense: Barry M. Goldwater Range, Yuma Proving Ground. US Forest Service: Coronado National Forest, Prescott National Forest, Tonto National Forest. US Fish and Wildlife Service: Buenos Aires National Wildlife Refuge, Cabeza Prieta National Wildlife Refuge, Cibola National Wildlife Refuge, Havasu National Wildlife Refuge, Imperial National Wildlife Refuge, Kofa National Wildlife Refuge. National Park Service: Organ Pipe Cactus National Monument, Saguaro National Park, Lake Mead National Recreation Area. State Land Department. Arizona Game and Fish Department: Powers Butte Wildlife Area. Arizona State Parks Department: Picacho Peak State Park. Private land. Other lands:

McDowell Mountain Regional Park, Phoenix South Mountain Park, White Tank Regional Park.

SOURCES OF FURTHER INFORMATION

REFERENCES:

- Arizona Game and Fish Department. 1988. Threatened native wildlife in Arizona. Arizona Game and Fish Department Publication. Phoenix, Arizona. p. 12.
- Arizona Game and Fish Department. 1996, in prep. Wildlife of special concern in Arizona. Arizona Game and Fish Department Publication. Phoenix, Arizona. p. 12.
- Arizona Game and Fish Department. 2012. Arizona's State Wildlife Action Plan 2012-2022. Arizona Game and Fish Department, Phoenix, Arizona. 233 pages.
- Arizona Game and Fish Department. 2022. Arizona Wildlife Conservation Strategy: 2022-2032. Arizona Game and Fish Department, Phoenix, Arizona. 378 pages.
- Arizona Interagency Desert Tortoise Team. 1996. Murray, R.C., and V. Dickinson (eds.). Management Plan for the Sonoran Desert population of the desert tortoise in Arizona. Arizona Interagency Desert Tortoise Team. 55pp.
- Arizona Interagency Desert Tortoise Team. 2000. Averill-Murray, R.C. (ed.). Status of the Sonoran populations of the desert tortoise in Arizona: an update. Arizona Interagency Desert Tortoise Team and Arizona Game and Fish Department, Phoenix. 48 pp.
- Auffenberg, W., and R. Franz. 1978. *Gopherus agassizii*. Catalogue of American Amphibians and Reptiles 212.1-212.2.
- Averill-Murray, R.C., and C.M. Klug. 2000. Monitoring and ecology of Sonoran desert tortoises in Arizona. Nongame and Endangered Wildlife Program Technical Report 161. Arizona Game and Fish Department, Phoenix. 104pp.
- Averill-Murray, R.C., B.E. Martin, S.J. Bailey, and E.B. Wirt. *In press* a. Activity and behavior of the Sonoran Desert tortoise in Arizona. *In* Van Devender, T.R. (ed.), The Sonoran Desert Tortoise: Natural History, Biology, and Conservation, University of Arizona Press, Tucson.
- Averill-Murray, R.C., A.P. Woodman, and J.M. Howland. *In press* b. Population ecology of the Sonoran Desert tortoise in Arizona. *In* Van Devender, T.R. (ed.), The Sonoran Desert Tortoise: Natural History, Biology, and Conservation, University of Arizona Press, Tucson.
- Bailey, S.J. 1992. Hibernacula use and home range of the desert tortoise (*Gopherus agassizii*) in the San Pedro Valley, Arizona. M.S. Thesis, University of Arizona, Tucson. 82pp.
- Barrett, S.L., and T.B. Johnson. 1990. Status summary for the desert tortoise in the Sonoran Desert. Report to US Fish and Wildlife Service, Albuquerque, New Mexico.
- Behler, J.L. and F.W. King. 1979. The Audubon Society field guide to North American reptiles and amphibians. Houghton Mifflin Company, Boston. pp. 471-473.
- Black, J.H. 1976. Observations on courtship behavior of the desert tortoise. Great Basin Naturalist 36:467-470.

- Burge, B.L. 1978. Physical characteristics and patterns of utilization of cover sites used by *Gopherus agassizii* in southern Nevada. Proceedings of the Desert Tortoise Council Symposium 1978:80-111.
- Bury, R.B. (ed.). 1982. North American Tortoise Conservation and Ecology. U.S. Fish and Wildlife Service, Wildlife Research Report 12, Washington, DC.
- Bury, R.B., and D.J. Germano (eds.). 1994. Biology of North American Tortoises. US Department of the Interior National Biological Survey, Fish and Wildlife Research 13, Washington, D.C. 204pp.
- Cochran, D.M. 1961. Type specimens of reptiles and amphibians in the U.S. National Museum. US National Museum Bulletin 220:1-291.
- Collins, E., T.P. O'Farrell, and M.L. Sauls. 1986. Survey for desert tortoise on the possible site of a high-level nuclear waste repository. Proceedings of the Desert Tortoise Council Symposium 1983:19-26.
- Coombs, E.M. 1977. Implications of behavior and physiology on the desert tortoise (*Gopherus agassizii*) concerning their declining populations in southwestern Utah, with inferences on related desert ectotherms. Report to US Bureau of Land Management, St. George.
- Cooper, J.G. 1863. New Californian animals. Proceedings of the Californian Academy of Natural Science 2:118-123.
- Crumly, C.R. 1994. Phylogenetic systematics of North American tortoises (genus *Gopherus*): evidence for their classification. pp. 7-32 In Bury, R.B., and D.J. Germano (eds.), Biology of North American Tortoises. US Department of the Interior National Biological Survey, Fish and Wildlife Research 13, Washington, D.C.
- Desert Tortoise Council Symposium Proceedings. Printed annually, 1976-present.
- Germano, D.J. 1993. Shell morphology of North American tortoises. American Midland Naturalist 129:319-335.
- Germano, D.J. 1994a. Growth and age at maturity of North American tortoises in relation to regional climates. Canadian Journal of Zoology 72:918-931.
- Germano, D.J. 1994b. Comparative life histories of North American tortoises. pp. 175-185 In Bury, R.B. and D.J. Germano (eds.), Biology of North American Tortoises. National Biological Survey, Fish and Wildlife Research 13, Washington, DC.
- Germano, D.J., R.B. Bury, T.C. Esque, T.H. Fritts, and P.A. Medica. 1994. Range and habitats of the desert tortoise. pp. 73-84 In Bury, R.B., and D.J. Germano (eds.), Biology of North American Tortoises. US Department of the Interior National Biological Survey, Fish and Wildlife Research 13, Washington, D.C.
- Goodlett, G., P. Woodman, M. Walker, and S. Hart. 1996. Desert tortoise population survey at Beaver Dam Slope exclosure desert tortoise study plot; spring, 1996. Report to Arizona Game and Fish Department, Phoenix.
- Grover, M.C., and L.A. DeFalco. 1995. Desert Tortoise (*Gopherus agassizii*): status-of-knowledge outline with references. US Department of Agriculture Forest Service, Intermountain Research Station, General Technical Report INT-GTR-316, Ogden, UT. 134pp.

- Hohman, J.P., R.D. Ohmart, and J. Schwartzmann. 1980. An annotated bibliography of the desert tortoise (*Gopherus agassizii*). Desert Tortoise Council Special Publication No. 1, Long Beach, California.
- Jennings, R.D. 1985. Biochemical variation of the desert tortoise, *Gopherus agassizii*. M.S. Thesis, University of New Mexico, Albuquerque. 72pp.
- Johnson, T.B. et al. 1990. Summary of literature on the Sonoran Desert population of the desert tortoise. Report for US Fish and Wildlife Service, Office of Endangered Species, Albuquerque, New Mexico.
- Karl, A.E. 1998. Reproductive strategies, growth patterns, and survivorship of a long-lived herbivore inhabiting a temporally variable environment. Ph.D. dissertation, University of California, Davis.
- Ladehoff, N.M., T.B. Johnson, B.K. Palmer, and C.R. Schwalbe. 1990. Bibliography of published and unpublished references pertinent to management and conservation of the desert tortoise in Arizona. Arizona Game and Fish Department, Nongame and Endangered Wildlife Program, Phoenix, Arizona.
- Lamb, T., J.C. Avise, and J.W. Gibbons. 1989. Phylogeographic patterns in mitochondrial DNA of the desert tortoise (*Xerobates agassizii*), and evolutionary relationships among the North American gopher tortoises. *Evolution* 43:76-87.
- Luckenbach, R.A. 1982. Ecology and management of the desert tortoise (*Gopherus agassizii*) in California. pp.1-37 In Bury, R.B. (ed.), North American Tortoise Conservation and Ecology. U.S. Fish and Wildlife Service, Wildlife Research Report 12, Washington, DC.
- Martin, B.E. 1995. Ecology of the desert tortoise (*Gopherus agassizii*) in a desert grassland community in southern Arizona. M.S. Thesis, University of Arizona, Tucson. 112pp.
- Minnich, J.E. 1977. Adaptive responses in the water and electrolyte budgets of native and captive desert tortoises, *Gopherus agassizii*, to chronic drought. *Proceedings of the Desert Tortoise Council Symposium*. 1977:102-129.
- Mueller, J.M., K.R. Sharp, K.K. Zander, D.L. Rakestraw, K.R. Rautenstrauch, and P.E. Lederle. 1998. Size-specific fecundity of the desert tortoise (*Gopherus agassizii*). *Journal of Herpetology* 32:313-319.
- Murray, R.C., and C.M. Klug. 1996. Preliminary data analysis from three desert tortoise long-term monitoring plots in Arizona: sheltersite use and growth. *Proceedings of the Desert Tortoise Council Symposium* 1996:10-17.
- Murray, R.C., and C.R. Schwalbe. 1993. The desert tortoise on national forest lands in Arizona. Unpublished report to US Department of Agriculture Coronado National Forest, Prescott National Forest, and Tonto National Forest. 51pp.
- Nagy, K.A., D.J. Morafka, and R.A. Yates. 1997. Young desert tortoise survival: energy, water, and food requirements in the field. *Chelonian Conservation and Biology* 2:396-404.
- Peterson, C.C. 1996a. Ecological energetics of the desert tortoise (*Gopherus agassizii*): effects of rainfall and drought. *Ecology* 77:1831-1844.
- Peterson, C.C. 1996b. Anhomeostasis: seasonal water and solute relations in two populations of the desert tortoise (*Gopherus agassizii*) during chronic drought. *Physiological Zoology* 69:1324-1358.

- Rostal, D.C., V.A. Lance, J.S. Grumbles, and A.C. Alberts. 1994. Seasonal reproductive cycle of the desert tortoise (*Gopherus agassizii*) in the eastern Mojave Desert. *Herpetological Monographs* 8:72-82.
- Secretaría de Desarrollo Social. 1994. *Diario Oficial de la Federacion*. p. 41.
- Secretaría de Medio Ambiente. 2000. *Diario Oficial de la Federacion*. p. 51.
- Stebbins, R.C. 1985. *A field guide to western reptiles and amphibians*. Houghton Mifflin Company, Boston, Massachusetts. 104pp.
- Turner, F.B., P. Hayden, B.L. Burge, and J.B. Roberson. 1986. Egg production by the desert tortoise (*Gopherus agassizii*) in California. *Herpetologica* 42:93-104.
- USDA, Forest Service Region 3. 2007. Regional Forester's Sensitive Animal List.
- USDI, Bureau of Land Management Region 2. 2008. Arizona BLM Sensitive Species List.
- USDI, Bureau of Land Management Region 2. 2010. Arizona BLM Sensitive Species List.
- USDI, Fish and Wildlife Service. 1985. Endangered and Threatened Wildlife and Plants; Review of Vertebrate Wildlife; Notice of Review. *Federal Register* 50(181):37962.
- USDI, Fish and Wildlife Service. 1989. Endangered and Threatened Wildlife and Plants; Animal Notice of Review. *Federal Register* 54(4):559.
- USDI, Fish and Wildlife Service. 1990. Endangered and Threatened Wildlife and Plants. 50 CFR 17.11:18.
- USDI, Fish and Wildlife Service. 1991. Endangered and Threatened Wildlife and Plants. 50 CFR 17.11:17-18.
- USDI, Fish and Wildlife Service. 1994a. Desert tortoise (Mojave population) recovery plan. US Fish and Wildlife Service, Portland.
- USDI, Fish and Wildlife Service. 1994b. Endangered and Threatened Wildlife and Plants; Animal Candidate Review for Listing as Endangered or Threatened Species; Notice of Review; Proposed Rule. *Federal Register* 59(219):58993.
- USDI, Fish and Wildlife Service. 1996. Endangered and Threatened Wildlife and Plants; Review of Plant and Animal Taxa that are Candidates for Listing as Endangered or Threatened Species; Notice of Review; Proposed Rule. *Federal Register* 61(40):7596-7613.
- USDI, Fish and Wildlife Service. 2010. Endangered and Threatened Wildlife and Plants; 12-Month Finding on a Petition To List the Sonoran Population of the Desert Tortoise as Endangered or Threatened; Proposed Rule. *Federal Register* 75(239):78094-78146.
- USDI, Fish and Wildlife Service. 2011. Endangered and Threatened Wildlife and Plants; Review of Native Species That Are Candidates for Listing as Endangered or Threatened; Annual Notice of Findings on Resubmitted Petitions; Annual Description of Progress on Listing Actions; Notice of Review. *FR* 76(207):66432.
- Van Devender, T.R. (ed.). *In press*. *The Sonoran Desert Tortoise: Natural History, Biology, and Conservation*. University of Arizona Press, Tucson.
- Van Devender, T.R., and C.R. Schwalbe. 1999. Diet of free-ranging desert tortoises (*Gopherus agassizii*) in the northeastern Sonoran Desert, Arizona. Report to Arizona Game and Fish Department, Phoenix.
- Vaughan, S.L. 1984. Home range and habitat use of the desert tortoise (*Gopherus agassizii*) in the Picacho Mountains, Pinal Co., Arizona. M.S. Thesis, Arizona State University, Tempe. 111pp.

- Wallis, I.R., B.T. Henen, and K.A. Nagy. 1999. Egg size and annual egg production by female desert tortoises (*Gopherus agassizii*): the importance of food abundance, body size, and date of egg shelling. *Journal of Herpetology* 33:394-408.
- Woodbury, A.M., and R. Hardy. 1948. Studies of the desert tortoise, *Gopherus agassizii*. *Ecological Monographs* 18:145-200.

MAJOR KNOWLEDGEABLE INDIVIDUALS:

- Roy Averill-Murray, USFWS, Reno, Nevada.
Kristin Berry, USGS, Western Ecological Research Center, Riverside, California.
Jeffrey Lovich, USGS, Western Ecological Research Center, Riverside, California.
Philip Medica, USFWS, Southern Nevada Field Office, Las Vegas, Nevada.
Cecil Schwalbe, USGS, Sonoran Desert Field Station, University of Arizona, Tucson, AZ.

ADDITIONAL INFORMATION:

The genus *Gopherus* is said to derive from gaufre (French)-a honeycomb-due to the many holes made by members of the genus (Gotch, A.F. 1995. *Latin Names Explained: A Guide to the Scientific Classification of Reptiles, Birds, and Mammals*. Facts on File, New York. p. 56.). The specific name *agassizii* is in honor of the Swiss zoologist J.L.R. Agassiz (1807-1873).

Revised: 1991-04-02 ()
1993-05-25 (LAJ)
1997-11-13 (SMS)
2001-03-28 (RAM)
2010-12-14 (SMS)
2013-04-02 (CFP)
2023-05-05 (MBL)

To the user of this abstract: you may use the entire abstract or any part of it. We do request, however, that if you make use of this abstract in plans, reports, publications, etc. that you credit the Arizona Game and Fish Department. Please use the following citation:

Arizona Game and Fish Department. 20XX (= **year of last revision as indicated at end of abstract**). X...X (= **taxon of animal or plant**). Unpublished abstract compiled and edited by the Heritage Data Management System, Arizona Game and Fish Department, Phoenix, AZ. X pp.