

**ARIZONA GAME AND FISH DEPARTMENT
HERITAGE DATA MANAGEMENT SYSTEM**

Plant Abstract

Element Code: PDCHE0R011

Data Sensitivity: No

CLASSIFICATION, NOMENCLATURE, DESCRIPTION, RANGE

NAME: *Zuckia brandegeei* var. *arizonica* (Standl.) Welsh

COMMON NAME: Arizona siltbush, Navajo zuckia

SYNONYMS: *Zuckia arizonica* Standl.

FAMILY: Chenopodiaceae

AUTHOR, PLACE OF PUBLICATION: *Zuckia brandegeei* var. *arizonica* (Standl.) S.L. Welsh, Great Basin Naturalist 44(2): 209. 1984. *Zuckia arizonica* P. Standley, J. Wash. Acad. Sci. 5(2): 58-59. 1915.

TYPE LOCALITY: Chalcedony Park, Petrified Forest Nat. Park, 18 mi SE of Holbrook, Apache Co. (Navajo Co.?), Arizona.

TYPE SPECIMEN: HT: US-694799. M. Zuck [Mrs. W. Hough] s.n., 15 Oct 1897. IT: NY, US.

TAXONOMIC UNIQUENESS: Variety *arizonica*, is 1 of 3 in *Zuckia brandegeei*, and 1 of 2 in Arizona; the other variety is *Z. b.* var. *brandegeei* (Brandegee's siltbush).

DESCRIPTION: Low erect shrub, branching from persistent woody base 0.5-2 dm (2-8 in); pubescent with inflated, whitish hairs; stems 1-5 dm (4-20 in). Leaves 1.3-8.0 x 0.15-1.0 cm, alternate, petioled, entire. Plants dioecious; staminate flowers with perianth cleft to middle or below, 1.5-1.8 mm; pistillate flowers few, intermixed in otherwise staminate spikes, without perianth, bibracteolate, sessile, solitary or in small clusters, forming short, interrupted, naked panicles of spikes. Fruiting bractlets accrescent, united except for a small apical orifice, 6-keeled, 2 of the keels broader and wing-like; stigmas 2, filiform, exserted; achenes horizontal, included within bracts. FNA (1993+) reports "... mainly four-ridged and narrowly two-winged..."

AIDS TO IDENTIFICATION: In spite of the similarity inhabited by the three varieties, their geographic ranges are mainly discrete. Besides the similarity of stature, staminate inflorescence, and flowers, the major difference between *Z. b.* var. *arizonica* and the varieties *brandegeei* and *plummeri* (Plummer's siltbush), is to be found in the fruiting bracteoles. In var. *arizonica*, the bracteoles are mainly four-ridged and narrowly two-winged, with mostly a horizontal arrangement of the achenes, while the other two varieties are mainly six-ridged, with mostly vertical arrangement of the achenes. (FNA 1993+).

ILLUSTRATIONS: Color photo of Holotype (US-694799, in <http://ravenel.si.edu/botany/types/fullRecords.cfm?myFamily>)
Color photo of Isotype (US-694862, in <http://ravenel.si.edu/botany/types/fullRecords.cfm?myFamily>)
Color photo of Isotype (NY-6426, in <http://207.156.243.8/emu/vh/specimen.php?irn=552370>)
Line drawing (in FNA 1993+, in http://www.efloras.org/florataxon.aspx?flora_id=1&taxon_id=242415462)

TOTAL RANGE: Northeastern Arizona and eastern Utah.

RANGE WITHIN ARIZONA: Adamana, Chalcedony Park (Apache Co.), in and near Petrified Forest (Navajo Co.), and vicinity of Moenkopi and Tuba City (Coconino Co.).

SPECIES BIOLOGY AND POPULATION TRENDS

GROWTH FORM: Woody perennial

PHENOLOGY: July – October; FNA (1993+) reports summer flowering period.

BIOLOGY:

HABITAT: Dry washes and flats. It is found on the Entrada, Summerville, Morrison, and Duchesne River formations, and on other siltstone and mudstone formations in north-central Arizona.

ELEVATION: 4,500 – 6,000 feet (1373-1830 m)

EXPOSURE:

SUBSTRATE: Reddish soil. Fine-textured or sandy, often saline and seleniferous substrates.

PLANT COMMUNITY: Great Basin Desertscrub.

POPULATION TRENDS: Unknown.

SPECIES PROTECTION AND PRESERVATION

ENDANGERED SPECIES ACT STATUS: None

STATE LIST STATUS: None

OTHER STATUS: None

MANAGEMENT FACTORS:

CONSERVATION MEASURES TAKEN:

SUGGESTED PROJECTS:

LAND MANAGEMENT/OWNERSHIP: BIA – Navajo Nation; NPS – Petrified Forest National Monument. Possibly Hopi Reservation.

SOURCES OF FURTHER INFORMATION

REFERENCES:

- Flora of North America Editorial Committee, eds. 1993+. Flora of North America North of Mexico. 7+ vols. New York and Oxford.
[Http://www.nazflora.org/Chenopodiaceae.htm](http://www.nazflora.org/Chenopodiaceae.htm). 2005. NAZ Flora, A Photographic, Annotated Catalog of Northern Arizona Vascular Plants.
Integrated Taxonomic Information System (ITIS). Retrieved 7/8/2005 from ITIS, <http://www.itis.usda.gov>.
Kearney, T.H., R.H. Peebles with collaborators. 1951. Arizona flora. Second edition with supplement by J.T. Howell, E. McClintock and collaborators. 1960. University of California Press. Berkeley, California. P. 260.
Lehr, J.H. 1978. A catalogue of the flora of Arizona. Desert Botanical Garden. Phoenix, Arizona. Pp. 46.
McDougall, W.B. 1973. Seed Plants of Northern Arizona. The Museum of Northern Arizona. Flagstaff, Arizona. P. 155.
Missouri Botanical Garden – TROPICOS, Nomenclatural Data Base. *Zuckia brandegeei* var. *arizonica* (Standl.) S.L. Welsh. http://mobot.mobot.org/cgi-bin/search_vast. Accessed: 8 Jul 2005.
NatureServe. 2005. NatureServe Explorer: An online encyclopedia of life [web application]. Version 4.5. NatureServe, Arlington, Virginia. Available: <http://www.natureserve.org/explorer>. (Accessed: July 8, 2005).
SEINet. Collections Search Result. Accessed 7/8/2005 at <http://seinet.asu.edu/collections/list.jsp>.
The New York Botanical Garden. NYBG Specimens Search Results. <http://207.156.243.8/emu/vh/specimen.php?irn=552370>. (Accessed: 7/8/2005).
U.S. National Herbarium Type Specimen Register (US). Accessed: 7/8/2005 from <http://rathbun.si.edu/botany/types/fullRecords.cfm?myFamily=>

MAJOR KNOWLEDGEABLE INDIVIDUALS:

Dr. H. Stutz - Dept. Botany, Brigham Young University, Provo, Utah

ADDITIONAL INFORMATION:

Stutz: Herbarium specimens often misidentified as *Grayia bradegei* or *Atriplex cuneata*. It is much more common than its meager representation in herbaria. It is common over several thousand acres between Tuba City and Chinle.

Revised: 1989-11-28(SST)
2005-09-01 (SMS)

To the user of this abstract: you may use the entire abstract or any part of it. We do request, however, that if you make use of this abstract in plans, reports, publications, etc. that you credit the Arizona Game and Fish Department. Please use the following citation:

Arizona Game and Fish Department. 20XX (= **year of last revision as indicated at end of abstract**). X...X (= **taxon of animal or plant**). Unpublished abstract compiled and edited by the Heritage Data Management System, Arizona Game and Fish Department, Phoenix, AZ. X pp.